



**RETAIL UNIT**  
 Area = 378 sq m or 4068 sq feet

AIR TIGHTNESS TESTING ON COMPLETION  
 UNIT TO BE AIR TIGHTNESS TESTED IN FULL ACCORDANCE WITH BS  
 EN 13829:2001  
 BOTH UNITS TO ACHIEVE MIN 7.0 M<sup>3</sup>/H.M<sup>2</sup> @ 50 PA

REV	DATE	DESCRIPTION	DRN
0		ORIGINAL ISSUE	

**Bracewell Stirling CONSULTING**

- 38 WALKER TERRACE, TILlicOUNTRY, FK13 6EF ☎ 01259 750301
- 5 NESS BANK, INVERNESS, IV2 4SF ☎ 01463 233760
- 15 LOCHSIDE STREET, OBAN, PA34 4HP ☎ 01631 359054

CLIENT:  
**GLEN ALPHA DEVELOPMENTS LTD**

PROJECT:  
**PROPOSED RETAIL UNIT**

DRG. TITLE:  
**FLOOR PLAN AS PROPOSED**

STATUS:  
**BUILDING WARRANT**

SCALE: 1 : 50 DRAWN: MF  
 PAPER SIZE: A1 DATE: July 2018  
 DWG No. 4359-03-100 REV: -